



SafeCom (SecurePrint) Printer setup


Click On **System Preference**

Navigate and Click On **Print and Scan**



Click on the **Plus Button**






Click on the IP Icon

Fill in Detail for either STB Secure Print or TYG Secure Print

STB Secure Print Queue Configuration, Then Click **Add**




Staff - \\stbsc01.stb.sun.ac.za\STB_PRINT_Q01

FHARGA -- \\stbsc02.stb.sun.ac.za\STB_PRINT_Q01


NARGA -- \\stbsc03.stb.sun.ac.za\STB_PRINT_Q01

HUMARGA-- \\stbsc04.stb.sun.ac.za\STB_PRINT_Q01

TYG Secure Print Queue Configuration, Then Click Add



Select Duplex Printing and Click Ok.




Navigate and Click On Users and Groups



Right Click on the Current User and Click on **Advanced Options**



Change **Account Name** to Active Directory Username.



And Click **OK**.

Setting Up Printing with Printer Queue Name

The screenshot shows the 'Add' printer configuration window in macOS. The window has a title bar with 'Add' and a search field. Below the title bar are icons for 'Default', 'Fax', 'IP', 'Windows', and 'Advanced'. The main content area is divided into two sections. The first section contains the following fields:

- Address:** Valid and complete host name or address.
- Protocol:**
- Queue:** Leave blank for default queue.

The second section contains the following fields:

- Name:**
- Location:**
- Use:** The selected printer software isn't from the manufacturer and may not let you use all the features of your printer.

An 'Add' button is located at the bottom right of the window.

- Add push printer server **Address** eg: stbpushprint.stb.sun.ac.za **Or** stbsc01.stb.sun.ac.za
- **Protocol** must be Line Printer Daemon – LPD
- **Queue** must be the printer queue name
- **Name** can be anything that the user wants to call the printer, but IT recommend to maintain the Name to the Queue name